DS of 04/03/07

INFORMATION DISCLOSURE STATEMENT

Docket No.	27693-01186	Serial No:	09/ 762,587
Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
Filed:	06 September 2001	Art Unit:	1642

## **U.S. PATENT DOCUMENTS**

INITIAL	INDEX	DOCUMENT	DATE	NAME	CLASS	SUB.	FILING DATE
/T.D./	D1	Re 38,008	25 Feb 2003	Abrams			
	D2	4,975,278	4 Dec 1990	Senter			
	D3	5,439,665	8 Aug 1995	Hansen			
	D4	5,595,721	21 Jan 1997	Kaminski			
	D5	5,648,267	15 Jul 1997	Reff			
	D6	5,677,171	14 Oct 1997	Hudziak			
	<b>D7</b>	5,686,072	11 Nov 1997	Uhr			
	<b>D8</b>	5,691,320	25 Nov 1997	van Borstel			
	D9	5,693,780	2 Dec 1997	Newman			
	D10	5,776,456	7 Jul 1998	Anderson			
	D11	5,399,061	1 Dec 1998	Anderson			
	D12	6,682,734 B1	27 Jan 2004	Anderson			
	D13	6,893,625 B1	17 May 2005	Robinson			
	D14	2002/ 0009444 A1	24 Jan 2002	Grillo-López			
	D15	2002/0197255 A1	26 Dec 2002	Anderson			
	D16	2003/0021781 A1	30 Jan 2003	Anderson			
	D17	2003/ 0026804 A1	24 Feb 2003	Grillo-López			
	D18	2003/ 0082172 A1	1 May 2003	Anderson			
	D19	2003/ 0095963 A1	22 May 2003	Anderson			
	D20	2003/ 0206903 A1	6 Nov 2003	Grillo-López			
	D21	2004/ 0167319 A1	26 Aug 2004	Teeling			
V	D22	2004/ 0213784 A1	28 Oct 2004	Grillo-López			

/Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED
Initial if a citation is considered, whether or not citation is in conformance with MPEP §	609. Draw line through citation if not in conformance and

not considered. Include a copy of this form with the next communication to applicant.

Form PTO-1449 (modified)

Docket No.	27693-01186	Serial No:	09/ 762,587
Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
Filed:	06 September 2001	Art Unit:	1642

INITIAL	INDEX	DOCUMENT	DATE	NAME	CLASS	SUB.	FILING DATE
/T.D./	D23	2005/ 0163708 A1	28 July 2005	Robinson			
/T.D./	D24	2005/ 0186205 A1	25 Aug 2005	Anderson			
/T.D./	D25	2006/ 0034835 A1	16 Feb 2006	Adams			

## **FOREIGN PATENT DOCUMENTS**

								TRAN	SLATION
INITIAL	INDEX	DOCUMENT	DATE		COUNTRY	CLASS	SUB.		
/T.D./	D26	0 125 023 A1	14 Nov 1994	EP		- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	D27	0 173 494 A2	5 May 1986	EP					
	D28	0 274 394 A2	13 Jul 1988	EP					
	D29	0 451 216 B1	24 Jan 1996	EP					
	D30	0 669 836 B1	7 Mar 1996	EP					
	D31	0 510 949 A2	28 Oct 1992	EP	<u> </u>				
	D32	0 682 040 A1	15 Nov 1995	EP					
	D33	0 752 248 A1	8 Jan 1997	EP					
	D34	91/ 04320 A1	4 Apr 1991	wo					
	D35	92/ 07466 A1	14 May 1992	WO					
	D36	93/ 02108 A1	4 Feb 1993	wo					
	D37	94/11026 A2	26 May 1994	WO					
	D38	00/ 09160 A1	24 Feb 2000	WO					
	D39	00/ 27428 A1	18 May 2000	wo			***		
	D40	00/ 27433 A1	18 May 2000	WO					
	D41	01/ 10460 A1	15 Feb 2001	wo					
V	D42	2004/ 056312 A2	8 Jul 2004	wo					

/Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED
Initial if a citation is considered, whether or not citation is in conformance with MPE	§ 609. Draw line through citation if not in conformance and

not considered. Include a copy of this form with the next communication to applicant.

Form PTO-1449 (modified)

SHEET 2 OF 13

Docket No.	27693-01186	Serial No:	09/ 762,587
Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
Filed:	06 September 2001	Art Unit:	1642

## OTHER DOCUMENTS

INITIAL	INDEX	CITATION
/T.D./	D43	Adams R.A. Cancer Res. 27: 2479-82, 1967. Formal discussion: the role of transplantation in the experimental investigation of human leukemia and lymphoma.
	D44	Adams R.A. et al. Cancer Res. 28(6): 1121-25, 1968. Direct implantation and serial transplantation of human acute lymphoblastic leukemia in hamsters, SB-2.
	D45	Almasri N.M. et al. Am. J. Hematol. 40: 259-63, 1992. Reduced expression of CD20 antigen as a characteristic marker for chronic lymphocytic leukemia.
	D46	Anderson D.R. et al. Second IBC Int'l. Conference on Antibody Engineering, San Diego, 16-18 December 1991. Immunoreactivity and effector function associated with a chimeric anti-CD20 antibody (abstract of presentation).
	<b>D47</b>	Anderson K.C. et al. <i>Blood</i> 63(6): 1424-33, 1984. Expression of human B cell-associated antigens on leukemias and lymphomas: a model of human B cell differentiation.
	D48	Appelbaum F.R. Hem. Onc. Clin. N. Amer. 5(5): 1013-25, 1991. Radiolabeled monoclonal antibodies in the treatment of non-Hodgkin's lymphoma.
	D49	Armitage J.O. et al. <i>Cancer</i> 50: 1695-1702, 1982. Predicting therapeutic outcome in patients with diffuse histiocytic lymphoma treated with cyclophosphamide, adriamycin, vincristine and prednisone (CHOP).
	D50	Armitage J.O. et al. <i>J. Clin. Oncol.</i> 16(8): 2780-95, 1998. New approach to classifying non-Hodgkin's lymphomas: clinical features of the major histologic subtypes. Non-Hodgkin's Lymphoma Classification Project.
	D51	Badger C.C. et al. <i>Cancer Res.</i> 46: 6223-28, 1986. Experimental radioimmunotherapy of murine lymphoma with <sup>131</sup> I-labeled anti-T-cell antibodies.
	D52	Beychok S. (in) Cells of Immunoglobulin Synthesis, B. Pernis et al., eds. New York: Academic Press, 1979, 69-88. Comparative aspects of in vitro and cellular assembly of immunoglobulins.
	D53	Bhan A.K. et al. <i>J. Exp. Med.</i> 154: 737-49, 1981. Stages of B cell differentiation in human lymphoid tissue.
V	D54	Biogen Idec Inc. v. Corixa Corp., Case No. 01-CV-1637 IEG (RBB), Stipulation of Dismissal of Claims and Counterclaims with Prejudice and Order (S.D.Cal., May 13, 2004).

EXAMINER /Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED
Initial if a citation is considered, whether or not citation is in conformance with MPEP § not considered. Include a copy of this form with the next communication to applicant.	609. Draw line through citation if not in conformance and
Form PTO-1449 (modified)	SHEET 3 OF 13

 Docket No.
 27693-01186
 Serial No:
 09/762,587

 Inventor(s):
 A.J. GRILLO-LÓPEZ
 Examiner:
 M.T. DAVIS

 Filed:
 06 September 2001
 Art Unit:
 1642

INITIAL	INDEX	CITATION
/T.D./	D55	Boulianne G.L. et al. <i>Nature</i> 312: 643-46, 1984. Production of functional chimaeric mouse/human antibody.
	D56	Brunner K.T. et al. <i>Immunology</i> 14(2): 181-96, 1968. Quantitative assay of the lytic action of immune lymphoid cells on <sup>51</sup> Cr-labelled allogeneic target cells in vitro; inhibition by isoantibody and by drugs.
	D57	Buchsbaum D.J. et al. <i>Cancer Res.</i> 50: 993s-999s, 1990. Comparative binding and preclinical localization and therapy studies with radiolabeled human chimeric and murine 17-1A monoclonal antibodies.
	D58	Buchsbaum D.J. et al. <i>Cancer Res.</i> 52: 637-642, 1992. Improved delivery of radiolabeled anti-B1 monoclonal antibody to Raji lymphoma xenografts by predosing with unlabeled anti-B1 monoclonal antibody.
	D59	Buchsbaum D.J. et al. <i>Cancer Res.</i> 52: 6476-81, 1992. Therapy with unlabeled and <sup>131</sup> I-labeled pan-B-cell monoclonal antibodies in nude mice bearing Raji Burkitt's lymphoma xenografts.
	<b>D</b> 60	Buchsbaum D.J. et al. <i>I.J. Rad. Oncol. Biol. Phys.</i> 18: 1033-41, 1990. A comparison of <sup>131</sup> I-labeled monoclonal antibody 17-1A treatment to external beam irradiation on the growth of LS174T human colon carcinoma xenografts.
	D61	Buchsbaum D.J. et al. <i>I.J. Rad. Oncol. Biol. Phys.</i> 25(4): 629-38, 1993. Comparison of <sup>131</sup> I-and <sup>90</sup> Y-labeled monoclonal antibody 17-1A for treatment of human colon cancer xenografts.
	D62	Byrd J.C. Cancer Biother. Radiopharm. 14(4)L 323, 1999. Rituximab therapy in patients with chronic lymphocytic leukemia.
D63		Byrd J.C. et al. <i>J. Clin. Oncol.</i> 17(3): 791-795, Mar. 1999. Rituximab therapy in hematologic malignancy patients with circulating blood tumor cells: association with increased infusion-related side effects and rapid blood tumor clearance.
	D64	Calvert J.E. et al. Semin. Hematol. 21(4): 226-243, 1984. Cellular events in the differentiation of antibody-secreting cells.
	D65	Carrasquillo J.A. et al. <i>J. Nucl. Med.</i> 26: 67, abst. no. 276, 1985. Improved imaging of metastatic melanoma with high dose 9.2.27 In-111 monoclonal antibody.
V D66		Chen J.J. et al. <i>J. Immunol.</i> 143(3): 1053-57, 1989. Tumor idiotype vaccines. VI. Synergistic anti-tumor effects with combined "internal image" anti-idiotypes and chemotherapy.

EXAMINER	/Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED
	is considered, whether or not citation is in conformance with aclude a copy of this form with the next communication to appli	MPEP § 609. Draw line through citation if not in conformance and cant.
Form PTO-1449	(modified)	SHEET 4 OF 13

INFORMATION	Docket No.	27693-01186	Serial No:	09/ 762,587
DISCLOSURE	Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
STATEMENT	Filed:	06 September 2001	Art Unit:	1642

INITIAL INDEX CITATION		CITATION
/T.D./ <b>D</b> 67		Chinn P. et al. <i>Proc. Ann. Mtg. Am. Assn. Cancer Res.</i> 33: 337, abst. no. 2012, 1992. Production and characterization of radiolabeled anti-CD20 monoclonal antibody: potential application to treatment of B-cell lymphoma.
		Chomczynki P. et al. <i>Anal. Biochem.</i> 162: 156-59, 1987. Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction.
	D69	Clark E.A. et al. <i>J. Cell. Biochem.</i> (Suppl. 9A): 63, 1985. Anti-Bp35 antibody induces human B cell proliferation: implications for <i>in vivo</i> immunotherapy.
	<b>D70</b>	Clark E.A. et al. <i>Proc. Natl. Acad. Sci. USA</i> 82(6): 1766-70, 1985. Role of the Bp35 cell surface polypeptide in human B-cell activation.
	D71	Classon B.J. et al. <i>J. Exp. Med.</i> 169(4): 1497-1502, 1989. The primary structure of the human leukocyte antigen CD37, a species homologue of the rat MRC OC-44 antigen.
	<b>D72</b>	Cogliatti S.B. et al. Sw. Med. Weekly 192: 607-17, 2002. Who is WHO and what was REAL?
	D73	Coiffer B. Ann. Oncol. 83(Suppl 1): S73-S74, 2004. New treatment strategies in lymphomas: aggressive lymphomas.
		Coiffier B. et al. N. Engl. J. Med. 346(4): 235-42, 2002. CHOP chemotherapy plus rituximab compared with CHOP alone in elderly patients with diffuse large-B-cell lymphoma.
pregimen (tositumomab and Iodine I-131 tositumomab) produced durable of in heavily pretreated patients with non-Hodgkin's lymphoma (NHL), ritus		Coleman M. et al. <i>Blood</i> 102(11 pt.1): 29a, abst. no. 29, 2003. The BEXXAR® therapeutic regimen (tositumomab and Iodine I-131 tositumomab) produced durable complete remissions in heavily pretreated patients with non-Hodgkin's lymphoma (NHL), rituximab-relapsed/refractory disease, and rituximab-naïve disease.
		Cope. Oncology 8(4): 100, 1994. Antibody shows promise in treating B-cell lymphoma.
	<b>D77</b>	Davis T.A. et al. <i>Blood</i> 92(10 Suppl. 1): 414a, abst. no. 1711, Nov. 1998. Rituximab: first report of a phase II (PII) trial in NHL patients (PTS) with bulky disease.
DeNardo G.L. et al. <i>Cancer Res.</i> 50(3 Suppl.): 1014s-1016s, 1990. If radioimmunotherapy of B-cell malignancies with <sup>131</sup> I-Lym-1.		DeNardo G.L. et al. <i>Cancer Res.</i> 50(3 Suppl.): 1014s-1016s, 1990. Fractionated radioimmunotherapy of B-cell malignancies with <sup>131</sup> I-Lym-1.
DeNardo G.L. et al. <i>I.J. Rad. Oncol. Biol. Phys.</i> 11(2): 335-48, treatment plan in system for radioimmunotherapy.		DeNardo G.L. et al. <i>I.J. Rad. Oncol. Biol. Phys.</i> 11(2): 335-48, 1985. Requirements for a treatment plan in system for radioimmunotherapy.
		DeNardo S.J. et al. <i>Antibody Immunoconj. Radiopharm.</i> 1(1): 17-33, 1988. Pilot studies of radioimmunotherapy of B cell lymphoma and leukemia using I-131 Lym-1 monoclonal antibody.
$\downarrow$	DeNardo S.J. et al. <i>Cancer</i> 73(3 Suppl.): 1023-32, 1994. The biologic window for chim L6 radioimmunotherapy.	

EXAMINER /Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED
Initial if a citation is considered, whether or not citation is in conformance with MPEP § not considered. Include a copy of this form with the next communication to applicant.	609. Draw line through citation if not in conformance and
Form PTO-1449 (modified)	SHEET 5 OF 13

 Docket No.
 27693-01186
 Serial No:
 09/762,587

 Inventor(s):
 A.J. GRILLO-LÓPEZ
 Examiner:
 M.T. DAVIS

 Filed:
 06 September 2001
 Art Unit:
 1642

INITIAL INDEX		CITATION	
/T.C	)./ <b>D82</b>	Dickson S. Gen. Engr. News 5(3): 1, March 1985. Scientists produce chimeric monoclonal Abs.	
D83 Eary J.F. et al. <i>J. Nuc. Med.</i> 31(8): 1257-68, 1990. Imaging and treatmen lymphoma.		Eary J.F. et al. J. Nuc. Med. 31(8): 1257-68, 1990. Imaging and treatment of B-cell lymphoma.	
	D84	Einfeld D.A. et al. <i>EMBO J.</i> 7: 711-17, 1988. Molecular cloning of the human B cell CD20 receptor predicts a hydrophobic protein with multiple transmembrane domains.	
	D85	Ford et al. Highlights in Oncology Practice 16(2): 40-50, 1998. Immunotherapeutic approaches to treatment of B-cell neoplasms: focus on unconjugated antibodies.	
	D86	Freedman A.S. et al. <i>J. Clin. Oncol.</i> 8: 784-91, 1990. Autologous bone marrow transplantation in B-cell non-Hodgkin's lymphoma: very low treatment-related mortality in 100 patients in sensitive relapse.	
	Friedberg J.W. et al. Expert Rev. Anticancer Ther. 4(1): 18-26, 2004. Iodine-131 tositumomab (Bexxar®): radioimmunoconjugate therapy for indolent and transformed B non-Hodgkin's lymphoma.		
	D88 Golay J.T. et al. J. Immunol. 135(6): 3795-801, 1985. The CD20 (Bp35) antigen is ir in activation of B cells from the G0 to the G1 phase of the cell cycle.		
<b>D89</b> Goldenberg D.M. et al. <i>J. Clin. Oncol.</i> 9(4): 548-64, 1991. Imaging and therapy of gastrointestinal cancers with radiolabeled antibodies.			
<b>D90</b> Greenberger J.S. et al. <i>Cancer Res.</i> 45(2): 758-67, 1985. Effects of monoclonal antibocomplement treatment of human marrow on hematopoiesis in continuous bone marrow culture.		Greenberger J.S. et al. <i>Cancer Res.</i> 45(2): 758-67, 1985. Effects of monoclonal antibody and complement treatment of human marrow on hematopoiesis in continuous bone marrow culture.	
D91 C2B8 chimeric anti-CD20 antibody (MAB): safety and clinical activity in the treatment patients (PTS) with relapsed low-grade or follicular (IWF:A-D) non-Hodgkin's lyn		Grillo-López A.J. et al. <i>Br. J. Haematol.</i> 93(Suppl. 2): 283, abst. no. 1072, 1996. IDEC-C2B8 chimeric anti-CD20 antibody (MAB): safety and clinical activity in the treatment of patients (PTS) with relapsed low-grade or follicular (IWF:A-D) non-Hodgkin's lymphoma (NHL).	
		Harris N.L. et al. <i>Blood</i> 54(5): 1361-92, 1994. A revised European-American classification of lymphoid neoplasms: a proposal from the International Lymphoma Study Group.	
	D93 Harris N.L. et al. J. Clin. Oncol. 17(12): 3835-49, 1999. World Health Organization classification of neoplastic diseases of the hematopoietic and lymphoid tissues: report of Clinical Advisory Committee meeting—Airlie House, Virginia, November 1997.		
$\bigvee$	D94	Hekman A. et al. Ann. Rept. Netherlands Cancer Inst., Amsterdam, pages 47-48,1993. Immunotherapy.	

/Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED
Initial if a citation is considered, whether or not citation is in conformance with MPEP § not considered. Include a copy of this form with the next communication to applicant.	609. Draw line through citation if not in conformance and
Form PTO-1449 (modified)	SHEET 6 OF 13

Docket No.	27693-01186	Serial No:	09/ 762,587
Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
Filed:	06 September 2001	Art Unit:	1642

INITIAL	INDEX	CITATION	
/T.D./	D95	Herold M. et al. Ann. Hematol. 79: 332-335, 2000. Successful treatment and re-treatment of resistant B-cell chronic lymphocytic leukemia with the monoclonal anti-CD20 antibody rituximab.	
	D96	Hiddemann W. et al. <i>Blood</i> 88(11): 4085-89, 1996. Lymphoma classification—the gap between biology and clinical management is closing.	
	D97	Hooijberg E. et al. <i>Cancer Res.</i> 55: 2627-34, 1995. Eradication of large human B cell tumors in nude mice with unconjugated CD20 monoclonal antibodies and interleukin 2.	
	D98	IDEC Pharmaceuticals Corp. and Genentech, Inc., Product insert for RITUXAN® approved by U.S. Food and Drug Administration on 26 November 1997.	
	D99	IDEC Pharmaceuticals Corp., U.S. Securities and Exchange Commission Form S-1 Registration Statement, 1991.	
	D100	Juweid M. et al. Cancer Res. 55(23 Suppl.): 5827s-5831s, 1995. Estimates of red marrow dose by sacral scintigraphy in radioimmunotherapy patients having non-Hodgkin's lymphoma and diffuse bone marrow uptake.	
	D101	Kaminski M.S. et al. <i>Antibody Immunoconj. Radiopharm.</i> 5(3): 345, abst. no. 57, 1992. Initial clinical radioimmunotherapy results with <sup>131</sup> I-anti-B1 (anti-CD20) in refractory B-cell lymphoma."	
	D102	Kaminski M.S. et al. <i>Blood</i> 78(10 Suppl. 1): 43a, abst. no. 161, 1992. Radioimmunotherapy (RIT) of refractory B-cell lymphoma with 131-I-anti-B1 (anti-CD20) antibody: promising early results using non-marrow ablative radiation doses.	
	D103	Kaminski M.S. et al. <i>N. Engl. J. Med.</i> 329: 459-65, 1993. Radioimmunotherapy of B-cell lymphoma with [ <sup>131</sup> I]anti-B1 (anti-CD20) antibody.	
	D104	Kinoshita T. et al. J. Clin. Oncol. 16(12): 3916, Dec. 1998. CD20-negative relapse in B-cell lymphoma after treatment with Rituximab.	
	D105	Langmuir V.K. <i>Nucl. Med. Biol.</i> 19(2): 213-55, 1992. Radioimmunotherapy: clinical results and dosimetric considerations.	
	D106	Larson S.M. et al. <i>Nucl. Med. Biol.</i> 16: 153-58, 1989. Comparison of bone marrow dosimetry and toxic effect of high dose <sup>131</sup> I-labeled monoclonal antibodies administered to man.	
	D107	Leichner P.K. et al. Front. Rad. Ther. Oncol. 24: 109-20, 1990. Dosimetry and treatment planning in radioimmunotherapy.	
$\bigvee$	D108	Leichner P.K. et al. <i>Med. Phys.</i> 20(2): 529-34, 1993. Tumor dosimetry in radioimmunotherapy: methods of calculation for beta particles.	

EXAMINER /	Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED
Initial if a citation is	s considered, whether or not citation is in conformance with MPEP	609. Draw line through citation if not in conformance and

not considered. Include a copy of this form with the next communication to applicant. Form PTO-1449 (modified)

SHEET 7 OF 13

Docket No.	27693-01186	Serial No:	09/ 762,587
Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
Filed:	06 September 2001	Art Unit:	1642

INITIAL INDEX		CITATION	
/T.D./	D109	Levy R. et al. Fed. Proc. 42: 2650-56, 1983. Tumor therapy with monoclonal antibodies.	
	D110	Ling N.R. et al. (in) Leucocyte Typing III: White Cell Differentiation Antigens, A.J. McMichael et al., eds., Oxford: Oxford Univ. Pr., 1987, pp. 302-35. B-cell and plasma cell antigens: new and previously defined clusters.	
	D111	Link M.P. et al. <i>J. Immunol.</i> 137(9): 3013-18, 1986. A unique antigen on mature B-cells defined by a monoclonal antibody.	
=	D112	Lipton J.M. et al. <i>Blood</i> 60(5 Suppl. 1): 170a, abst. no. 609, 1992. Distribution of B1, CALLA, β2 microglobulin and Ia on hematopoiesis supporting cells (HSC) in short and long-term cultures.	
	D113	Liu A.Y. et al. <i>J. Immunol.</i> 139(10): 3521-26, Nov. 1987. Production of a mouse-human chimeric monoclonal antibody to CD20 with potent Fc-dependent biologic activity.	
	D114	Lonberg N. et al. <i>Nature</i> 368: 856-59, 1994. Antigen-specific human antibodies from mice comprising four distinct genetic modifications	
	D115	Lowman H.B. Slides presented at IBC Antibody Engineering Conference, 2 December 2003. Differential activities in a series of humanized anti-CD20 antibodies.	
	D116	Macey D.J. et al. Front. Rad. Ther. Oncol. 24: 123-31, 1990. A treatment planning program for radioimmunotherapy.	
	D117	Macklis R.M. et al. <i>Antibody Immunoconj. Radiother</i> . 5(3): asbst. no. 39, 1992. Induction of programmed cell death in malignant lymphomas after radioimmunotherapy.	
	D118	Macklis R.M. et al. <i>Cancer</i> 73(3 Suppl.): 966-73, 1994. Radiobiologic studies of low-dose-rate <sup>90</sup> Y-lymphoma therapy.	
	D119	Maloney D.G. et al. <i>Blood</i> 80(6): 1502-1510, 1992. Monoclonal anti-idiotype antibody therapy of B-cell lymphoma: the addition of a short course of chemotherapy does not interfere with the antitumor effect nor prevent the emergence of idiotype-negative variant cells.	
	D120	Maloney D.G. et al. <i>Blood</i> 88(10: Suppl. 1): 637a, abst. no. 2635, 1996. The anti-tumor effect of monoclonal anti-CD20 antibody (mAb) therapy includes direct anti-proliferative activity and induction of apoptosis in CD20 positive non-Hodgkin's lymphoma (NHL) cell lines.	
	D121	Mariuzza et al. Science. 233: 747-753, 1986. Three-dimensional structure of an antigenantibody comple at 2.8 A resolution.	
V	D122	Marx J.L. Science 229(4712): 455-56, 1985. Antibodies made to order.	

EXAMINER	/Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED
	n is considered, whether or not citation is in conformance wit include a copy of this form with the next communication to ap	h MPEP § 609. Draw line through citation if not in conformance and plicant.
Form PTO-1449	(modified)	SHEET 8 OF 13

Docket No.	27693-01186	Serial No:	09/ 762,587
Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
Filed:	06 September 2001	Art Unit:	1642

INITIAL		INDEX	CITATION					
/T.	D./ ]	D123	Masucci G. et al. <i>Med. Oncol. Tumor Pharmacother</i> . 8(3): 207-20, 1991. Chemotherapy and immunotherapy of colorectal cancer.					
	]	D124 McLaughlin P. et al. <i>Oncology</i> 12(12): 1763-81, 1998. Clinical status and operituximab for B-cell lymphomas.						
	D125		Meredith R.F. et al. <i>J. Nucl. Med.</i> 33(9): 1648-53, 1992. Dose fractionation of radiolabeled antibodies in patients with metastatic colon cancer.					
	1	D126	Mishell B.E. et al., eds. Selected Methods in Cellular Immunology, San Francisco: Freeman (1980), p. 287-304. Modification and use of antibodies to label cell surface antigens.					
	I	D127	Morrison S. et al. <i>Proc. Nat'l Acad. Sci. USA</i> 81: 6851-54, 1984. Chimeric human antibody molecules: mouse antigen-binding domains with human constant region domains.					
	I	D128	Morrison S.L. Science 229: 1202-07, 1985. Transfectomas provide novel chimeric antibodies.					
	I	D129	Multani P.S. et al. <i>J. Clin. Oncol.</i> 16(11): 3691-3710, 1998. Monoclonal antibody-based therapies for hematologic malignancies.					
	1	D130	Munro A. Nature 312: 597, 1984. Uses of chimeric antibodies.					
D131 Murray J.L. et al. <i>J. Nucl. Med.</i> 26: 3328-29, 1985. The effect of radionum imaging with indium-111-labeled anti P-97 monoclonal antibody.		Murray J.L. et al. <i>J. Nucl. Med.</i> 26: 3328-29, 1985. The effect of radionuclide dose on imaging with indium-111-labeled anti P-97 monoclonal antibody.						
		Nadler L.M. et al. Cancer Res. 40(9): 3147-54, 1980. Serotherapy of a patient with a monoclonal antibody directed against a human lymphoma-associated antigen.						
	I	D133	Nadler L.M. et al. <i>J. Clin. Invest.</i> 67: 134-140, 1981. A unique cell surface antigen identifying lymphoid malignancies of B cell origin.					
	I	D134	Nadler L.M. et al. <i>J. Clin. Invest.</i> 74(2): 332-40, 1984. B cell origin of non-T cell acute lymphoblastic leukemia. A model for discrete stages of neoplastic and normal pre-B cell differentiation.					
	I	D135	Nadler L.M. et al. <i>Lancet</i> 2(8400): 427-31, 1984. Anti-B1 monoclonal antibody and complement treatment in autologous bone-marrow transplantation for relapsed B-cell non-Hodgkin's lymphoma.					
	I	D136	Neuberger M.S. et al. <i>Nature</i> 314: 268-70, 1985. A hapten-specific chimaeric IgE antibody with human physiological effector function.					
$\bigvee$	, I	D137	Non-Hodgkin's Lymphoma Pathologic Classification Project. Cancer 49(10): 2112-35, 1982. National Cancer Institute sponsored study of classifications of non-Hodgkin's lymphomas.					

/Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED			
Initial if a citation is considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.				
Form PTO-1449 (modified)	SHEET 9 OF 13			

Docket No.	27693-01186	Serial No:	09/ 762,587
Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
Filed:	06 September 2001	Art Unit:	1642

INITIAL		INDEX	CITATION
/т	.D./	D138	Oettgen H.C. et al. <i>Hybridoma</i> 2(1): 17-28, 1983. Further biochemical studies of the human B-cell differentiation antigens B1 and B2.
		D139	Oncology Nursing Society. onsopcontent.ons.org/oes/online_ce/lymph/.05-classification.htm, retrieved 25 February 2003. Current therapies and future directions in the treatment of non-Hodgkin's lymphoma.
		D140	Ozato K. et al. <i>J. Immunol.</i> 126(1): 317-21, 1981. Monoclonal antibodies to mouse MHC antigens. III. Hybridoma antibodies reacting to antigens of the H-2b haplotype reveal genetic control of isotype expression.
		D141	Panka et al. <i>Proc. Nat'l. Acad. Sci.</i> 85: 3080-3084, 1988. Variable region framework differences result in decreased or increased affinity of variant anti-digoxin antibodies.
		D142	Parker B.A. et al. <i>Cancer Res.</i> 50(3): 1022s-1028s, 1990. Radioimmunotherapy of human B-cell lymphoma with <sup>90</sup> Y-conjugated antiidiotype monoclonal antibody.
		D143	Pearson J.W. et al. <i>Cancer Res.</i> 49(18): 4990-95, 1989. Enhanced therapeutic efficacy of an immunotoxin in combination with chemotherapy against an intraperitoneal human tumor xenograft in athymic mice.
		D144	Polyak M.J. et al. <i>Blood</i> 99: 3256-62, 2002. Alanine-170 and proline-172 are critical determinants for extracellular CD20 epitopes; heterogeneity in the fine specificity of CD20 monoclonal antibodies is defined by additional requirements imposed by both amino acid sequence and quaternary structure.
		D145	Press O. et al. <i>Proc. Ann. Mtg. ASCO</i> 5: 221, abst. no. 864, 1986. Serotherapy of malignant B cell lymphomas with monoclonal antibody 1F5 (anti-CD20).
		D146	Press O.W. et al. Adv. Exp. Med. Biol. 303: 91-96, 1991. Radiolabeled antibody therapy of human b cell lymphomas.
		D147	Press O.W. et al. <i>Cancer Res.</i> 49(17): 4906-12, 1989. Endocytosis and degradation of monoclonal antibodies targeting human B-cell malignancies.
		D148	Press O.W. et al. <i>J. Clin. Oncol.</i> 7(8): 1027-38, 1989. Treatment of refractory non-Hodgkin's lymphoma with radiolabeled MB-1 (anti-CD37) antibody.
		D149	Press O.W. et al. <i>N. Engl. J. Med.</i> 329(17): 1219-23, 1993. Radiolabeled-antibody therapy of B-cell lymphoma with autologous bone marrow support.
		D150	Reff M. et al. <i>J. Cell. Biochem.</i> Suppl. 17E: 260, abst. no. T103, 1993. Depletion of B cells <i>in vivo</i> by a chimeric mouse human monoclonal antibody to CD20.
		D151	Reilly R.M. Clin. Pharm. 10: 359-75, 1991. Radioimmunotherapy of malignancies.

EXAMINER /Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED			
Initial if a citation is considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.				
Form PTO-1449 (modified)	SHEET 10 OF 13			

INFORMATION	Docket No.	27693-01186	Serial No:	09/ 762,587
DISCLOSURE	Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
STATEMENT	Filed:	06 September 2001	Art Unit:	1642

INITIAL	INDEX	CITATION
/T.D./	D152	Robinson R. et al. <i>Human Antibody Hybrid</i> . 2: 84-93, Apr. 1991. Chimeric mouse-human anti-carcinoma antibodies that mediate different anti-tumor cell biological activities.
	D153	Rottenburger C. et al. <i>Br. J. Haematol.</i> 106(2): 545-52, 1999. Clonotypic CD20+ and CD19+ B cells in peripheral blood of patients with multiple myeloma post high-dose therapy and peripheral blood stem cell transplantation.
	D154	Rudikoff et al. <i>Proc. Nat'l. Acad. Sci</i> 79: 1979-1983, 1982. Single amino acid substitution altering antigen-binding specificity.
	D155	Sahagan B.G. et al. <i>J. Immunol.</i> 137: 1066-74, 1986. A genetically engineered murine/human chimeric antibody retains specificity for human tumor-associated antigen.
	D156	Scharff M. Harvey Lectures 69: 125-42, 1974. The synthesis, assembly, and secretion of immunoglobulin: a biochemical and genetic approach.
	D157	Schlom J. et al. <i>J. Natl. Cancer Inst.</i> 82(9): 763-71, 1990. Advantage of dose fractionation in monoclonal antibody-targeted radioimmunotherapy.
	D158	Schwartz-Albiez R. et al. <i>J. Immunol.</i> 140(3): 905-14, 1988. The B cell-associated CD37 antigen (gp40-52). Structure and subcellular expression of an extensively glycosylated glycoprotein.
D159 Seaver, S. Genetic Engineering News. 19 and 21, 1982. Monoclonal a more difficult than originally thought.		Seaver, S. Genetic Engineering News. 19 and 21, 1982. Monoclonal antibodies in industry: more difficult than originally thought.
D160 See-Lasley K. et al. Manual of Oncology Therapeutics. St. Louis: C.V. Mosb 44-71, 1981. Hodgkin's disease and non-Hodgkin's lymphoma.		See-Lasley K. et al. Manual of Oncology Therapeutics. St. Louis: C.V. Mosby Co., pages 44-71, 1981. Hodgkin's disease and non-Hodgkin's lymphoma.
	D161	Senter P.D. FASEB J. 4: 188-93, 1990. Activation of prodrugs by antibody-enzyme conjugates: a new approach to cancer therapy.
	D162	Senter P.D. et al. Adv. Exp. Med. Biol. 303: 97-105, 1991. Activation of prodrugs by antibody-enzyme conjugates.
	D163	Senter P.D. et al. <i>Cancer Res.</i> 49: 5789-92, 1989. Enhancement of the <i>in vitro</i> and <i>in vivo</i> antitumor activities of phosphorylated mitomycin C and etoposide derivatives by monoclonal antibody-alkaline phosphatase conjugates.
	D164	Sharkey R.M. et al. <i>Cancer Res.</i> 50(3): 964s-969s, 1990. Biological considerations for radioimmunotherapy.
$\bigvee$	D165	Shulman M. et al. <i>Nature</i> 276(5685): 269-72, 1978. A better cell line for making hybridomas secreting specific antibodies.

EXAMINER /Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED			
Initial if a citation is considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.				
Form PTO-1449 (modified)	SHEET 11 OF 13			

INFORMATION	Docket No.	27693-01186	Serial No:	09/ 762,587
DISCLOSURE	Inventor(s):	A.J. GRILLO-LÓPEZ	Examiner:	M.T. DAVIS
STATEMENT	Filed:	06 September 2001	Art Unit:	1642

INITIAL	INDEX	CITATION
/T.D./	D166	Smeland E.B. et al. <i>J. Immunol.</i> 138(10): 3179-84, 1987. Activation of human B cells: alternate options for initial triggering and effects of nonmitogenic concentrations of anti-IgM antibodies on resting and activated cells.
	D167	Srivastava S.C. et al. <i>Nucl. Med. Biol. (I.J. Rad. Appl. Instrum. B)</i> 18(6): 589-603, 1991. Progress in research on ligands, nuclides and techniques for labeling monoclonal antibodies.
	D168	Stashenko P. et al. <i>J. Immunol.</i> 125(4): 1678-85, 1980. Characterization of Human B Lymphocyte-Specific Antigen.
	D169	Staudt L.M. et al. Manuscript from pubmedcentral at NIH, edited paper published at <i>Adv</i> . <i>Immunol</i> . 87: 163-208, 2005. The biology of human lymphoid malignancies revealed by gene expression profiling.
D170   labelled monoclonal antibodies for ovarian cancer: pharmacokinetics as		Stewart J.S.W. et al. <i>Int. J. Cancer</i> Suppl. 3: 71-76, 1988. Intraperitoneal <sup>131</sup> I- And <sup>90</sup> Y-labelled monoclonal antibodies for ovarian cancer: pharmacokinetics and normal tissue dosimetry.
D171 Sun L.K. et al. <i>Hybridoma</i> 5(Suppl. 1): S17-20, 1 derived variable and human constant regions.		Sun L.K. et al. <i>Hybridoma</i> 5(Suppl. 1): S17-20, 1986. Chimeric antibodies with 17-1A-derived variable and human constant regions.
D172 Tan L.K. et al. <i>J. Immunol.</i> 135: 3564-67, 1985. A human-mouse chimer gene with a human variable region is expressed in mouse myeloma cells.		Tan L.K. et al. <i>J. Immunol.</i> 135: 3564-67, 1985. A human-mouse chimeric immunoglobulin gene with a human variable region is expressed in mouse myeloma cells.
D173 Tedder molecul		Tedder T.F. et al. Eur J. Immunol. 16(8): 881-87, 1986. Antibodies reactive with the B1 molecule inhibit cell cycle progression but not activation of human B lymphocytes.
	D174	Tedder T.F. et al. <i>J. Immunol.</i> 135(2): 973-79, 1985. The B cell surface molecule B1 is functionally linked with B cell activation and differentiation.
	D175	Tedder T.F. et al. <i>J. Immunol.</i> 141(12): 4388-94, 1988. Cloning of a complementary DNA encoding a new mouse B lymphocyte differentiation antigen, homologous to the human B1 (CD20) antigen, and localization of the gene to chromosome 19.
Teeling J.L. et al. Blood 104:1793-1800, 2004. Characterization of new h		Teeling J.L. et al. <i>Blood</i> 104:1793-1800, 2004. Characterization of new human CD20 monoclonal antibodies with potent cytolytic activity against non-Hodgkin lymphomas.
	D177	Teeling J.L. et al. <i>J. Immunol.</i> 277: 362-71, 2006. The biological activity of human CD20 monoclonal antibodies is linked to unique epitopes on CD20.
<b>V</b>	D178	Tsai D.E. et al. <i>Bone Marrow Transplant</i> . 24(5): 521-26, 1999. Rituximab (anti-CD20 monoclonal antibody) therapy for progressive intermediate-grade non-Hodgkin's lymphoma after high-dose therapy and autologous peripheral stem cell transplantation

EXAMINER /Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED			
Initial if a citation is considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.				
Form PTO-1449 (modified)	SHEET 12 OF 13			

 Docket No.
 27693-01186
 Serial No:
 09/762,587

 Inventor(s):
 A.J. GRILLO-LÓPEZ
 Examiner:
 M.T. DAVIS

 Filed:
 06 September 2001
 Art Unit:
 1642

INITIAL	INDEX	CITATION
/T.D./	D179	Tsai D.E. et al. <i>Clin. Lymphoma Myeloma</i> 1(1): 62-66, 2000. Progressive intermediate-grade non-Hodgkin's lymphoma after high-dose therapy and autologous peripheral stem-cell transplantation: changing the natural history with monoclonal antibody therapy.
	D180	Uckun F.M. et al. <i>Cancer Res.</i> 45(1): 69-75, 1985. Increased efficiency in selective elimination of leukemia cells by a combination of a stable derivative of cyclophosphamide and a human B-cell-specific immunotoxin containing pokeweed antiviral protein.
	D181	Uckun F.M. et al. <i>J. Immunol.</i> 134(5): 3504-15, 1985. Combined <i>ex vivo</i> treatment with immunotoxins and mafosfamid: a novel immunochemotherapeutic approach for elimination of neoplastic T cells from autologous marrow grafts.
	D182	Urlaub, G. et al. Som. Cell. Mol. Genet. 12(6): 555-66, 1986. Effect of gamma rays at the dihydrofolate reductase locus: deletions and inversions.
	D183	Valentine M.A. et al. J. Biol. Chem. 264: 11282-87, 1989. Phosphorylation of the CD20 phosphoprotein in resting B lymphocytes. Regulation by protein kinase C.
	D184	Vartholomatos G. et al. <i>Acta Haematol</i> . 102: 94-98, 1999. Rituximab (anti-CD20 monoclonal antibody) administration in a young patient with resistant B-prolymphocytic leukemia.
	D185	Verkh L.I. et al. <i>Proc. Ann. Mtg. ASCO</i> 17: abst. no. 154, 1998. Dosimetry results of ONCOLYM <sup>™</sup> in the treatment of refractory B cell non-Hodgkin's lymphoma (NHL).
Vose J.M. et al. J. Clin. Oncol. 19(2): 389-97, 2001. Phase II		Vose J.M. et al. <i>J. Clin. Oncol.</i> 19(2): 389-97, 2001. Phase II study of rituximab in combination with chop chemotherapy in patients with previously untreated, aggressive non-Hodgkin's lymphoma.
	D187	Wessels B.W. et al. <i>Med. Phys.</i> 11(5): 638-45, 1984. Radionuclide selection and model absorbed dose calculations for radiolabeled tumor associated antibodies.
	D188	Witzig T.E. et al. <i>J. Clin. Oncol.</i> 20: 2453-63, 2002. Randomized controlled trial of yttrium-90-labeled ibritumomab tiuxetan radioimmunotherapy versus rituximab immunotherapy for patients with relapsed or refractory low-grade, follicular, or transformed B-cell non-Hodgkin's lymphoma.
$\bigvee$	D189	Yang H. et al. Am. J. Hematol. 62: 247-50, 1999. Tumor lysis syndrome occurring after the administration of rituximab in lymphoproliferative disorders: high-grade non-Hodgkin's lymphoma and chronic lymphocytic leukemia.

EXAMINER	/Minh Tam Davis/ (11/27/2007)	DATE CONSIDERED
Initial if a citation is considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.		
Form PTO-144	19 (modified)	SHEET 13 OF 13